


Maximum Run Out of the internal D₁ with respect to the External Taper 0.003 mm



BT (MAS 403) Hydraulic Expansion Chuck (AD) (JD)
(Balanced to 2.5 G 25000RPM)

Item Code	Item Name	ISO	d	D1	G	L	L1
K10101629616282	BT30 HC12S 069 AD/2.5G 25000 SL	30	12	42	M10	69	40
K10101168140282	BT30 HC20S 090AD/2.5G 25000 SL	30	12	42	M10	69	40
K10102629617282	BT40 HC12S 058 AD/2.5G 25000 SL	40	12	42	M10	69	40
K10102168126235	BT40 HC20S 72.5 AD/2.5G 25000 SL	40	20	50	M16	72.5	42
K10103629616282	BT50 HC12S 069 AD/2.5G 25000 SL	50	12	42	M10	69	40
K10103954618282	BT50 HC3/4"S 083 AD/2.5G 25000 SL	50	3/4"	50	M16	83	42
K10103168618282	BT50 HC20S 083 AD/2.5G 25000 SL	50	20	50	M16	83	42
K10101953616282	BT30 HC1/2"S 069 AD/2.5G 25000 SL	30	1/2"	42	M10	69	40
K10101954140282	BT30 HC3/4 "S 090 AD/2.5G 25000SL	30	3/4"	50	M16	90	42
K10102954126282	BT40 HC3/4"S 72.5 AD/2.5G 25000 SL	40	3/4"	50	M16	72.5	42
K10102953617282	BT40 HC1/2"S 058 AD/2.5G 25000 SL	40	1/2"	42	M10	58	40
K10103953616282	BT50 HC1/2"S 069 AD/2.5G 25000 SL	50	1/2"	42	M10	69	40



KTA SPINDLE TOOLINGS LLP

Catalogues

Questions? Call 1-888-PHONE

Thank you for your business.



KTA SPINDLE TOOLINGS LLP

Catalogues

Questions? Call 1-888-PHONE

Thank you for your business.