

Personal Protection Equipment



Table of Contents

Product	Code	Page
Hiax Protector Pro	94	<u>3</u>
Buckler Safety Wellingtons	93	<u>3</u>
Dielectric Wellingtons	65200673	<u>3</u>
Buckler Safety Boot B750	97	<u>4</u>
Buckler Safety Boot B301	99	<u>4</u>
Buckler Safety Boot B420	98	<u>4</u>
Buckler Buckshot BSH007	101	<u>5</u>
Buckler Buckshot 007BR	102	<u>5</u>
Buckler Safety Boot B300	100	<u>5</u>
Hi-Visibility Yellow Sweatshirt FR & Anti Static	110	<u>6</u>
FR77 Flame-Resistant Anti-Static Hi-Vis Long sleeve Polo shirt	107	<u>6</u>
FR61 HiVis Multi-Protection Jacket	104	<u>6</u>
MV28 Hi Vis Inherently Flame Retardant Coverall	106	<u>6</u>
FR62 HiVis Multi-Protection Trouser	105	<u>7</u>
S773 Fr Anti Static Waterproof Bomber	108	<u>7</u>
FR78 Multi Protection Hi Vis Bib & Brace Trousers	103	<u>7</u>
Liquid Proof Cut Protect 5 Gloves	118	<u>8</u>
Cut Protect 5 Gloves	117	<u>8</u>
Gloves For Barbwire	116	<u>8</u>
Moldex 8082 Pre-assembled P3 RD Reusable Half Mask	115	<u>8</u>
Bolle Smoked Safety Glasses	111	<u>9</u>
Bolle Clear	112	<u>9</u>
Bolle Twilight Yellow	113	<u>9</u>
Honeywell V Maxx Goggle	114	<u>9</u>
Linesman Safety Helmet	LSM	<u>10</u>
Idra Saftey Helmet Full Face Visor	ISHFFV	<u>10</u>
Full Face Visor	AFFFV	<u>10</u>
Leather Linemen Harness	PPELH	<u>11</u>
Britannia Super Harness MK3	90049MK3	<u>11</u>
MEWP Harness	90158MK3	<u>11</u>
Basic Fall Arrest	90046MK3	<u>11</u>
Pole Choke	65200642	<u>12</u>
Pole Choker	90178	<u>13</u>
Rope Rat Work Positioning Lanyard	90176	<u>13</u>

Hiax Protector Pro

Hiax Chainsaw Climber Chainsaw Class 1 Protection

EU 39 40 41 42 43 44 45 46 47 48 UK 6 6.5 7 8 9 9.5 10 11 12 13





Buckler Safety Wellingtons

The Most Comfortable Safety Wellington money can buy

These boots are guaranteed for life or until the sole wears out .

Features:

- Steel toe
- Waterproof
- Oil resistant
- Steel midsole
- Cushioned Seat
- · Removable Insole
- Heat resistant up to 300°C
- Antistatic electricity resistant

These Buckler Wellington boots are available in sizes 6 to 13 Available in Black, Blue or Green

Dielectric Wellingtons

The next generation in Dielectric footwear providing unrivalled levels of comfort whilst protecting against electrical and arc flash threats.

- Ergonomically designed to secure the foot and enhance stability
- Super-flex[™] ozone and flex resistant rubber upper
- Revolutionary 360 SureGrip outsole, resistant to oil, acid and heat
- Steel toe cap
- · Comfort system insole



Buckler the only boot that offers a guarantee that the upper and sole won't come apart for the lifetime of the original sole.



Buckler Safety Boot B750

Dark Brown

Colour: Weathergrain Waxed

Leather

Steel Toecap. Steel Mid

Features: Sole. Heat & Oil Resistant Sole.

WATERPROOF

Sole: K2

Buckler Safety Boot B301

Colour: Chocolate Oil Leather

Steel Toecap, Steel

Features: Midsole, Anti-Scuff toe

protector, Heat and Oil

Resistant sole.

Sole: K2

Safety: EN ISO 20345-1

SB/P/HRO

Sizes: 6/40 to 13/47





Buckler Safety Boot B420

Colour: Oak Tan Leather.

Steel Toecap.Steel Mid

Sole. Heat and Oil

Features: Resistant sole. FULL

COW HIDE LINING.

NO SWEAT

Sole: K2



Buckler Buckshot BSH007

Colour: Black Oil Full Grain

Leather.

• Steel Toe Cap • Steel Midsole • Antistatic •

Features: Heat (300°C) and Oil

resistant outsole • Slip resistance - max test •

Water resistant uppers

Sole: Buckshot

EN ISO 20345-1

Safety: SB/P/A/HRO/SRC/WR

U

Buckler Buckshot 007BR

Colour: Dark Brown Crazy

Horse Leather.

Steel Toe CapSteel Midsole

Antistatic

• Heat (300°C) and Oil

resistant outsole

• Slip resistance - max

test

Water resistant

uppers

Sole: Buckshot

Features:





Buckler Safety Boot B300

Colour: Honey Nubuck

Steel Toecap, Steel

Features: Midsole, Heat and Oil

Resistant Sole

Sole: K2

Safety: EN ISO 20345-1

SB/P/HRO

Sizes: 6/40 to 12/46



Hi-Visibility Yellow Sweatshirt FR & Anti Static

Protex Hi-Visibility Yellow Sweatshirt is both flame retardant and anti-static,
Certified to: EN531, EN1149, EN340.



FR77 Flame-Resistant Anti-Static Hi-Vis Long sleeve Polo shirt

Inherent FR Long Sleeve Polo Certified to: EN531, EN1149, EN340



MV28 Hi Vis Inherently Flame Retardant Coverall

- Modaflame coverall
- Flame Retardant Hi-Vis Coverall
- Knee pad pockets
- Triple stitched seams
- FR Aramid sewing thread
- Double stitched
- Industrial wash
- Reflective tape



FR61 HiVis Multi-Protection Jacket

This comfortable garment offers protection against multiple risks including exposure to heat, fire, chemicals, electrical arcs and welding.

EN ISO 20471 Class 3 , IEC 61482-2 EN 61482-1-2 Class 1

EN ISO 11612 A1 A2 B1,C1, E2, EN ISO 11611 Class 2 A1+A2

EN 1149-5, EN 13034 Type 6, EN 343 Class 3:3



FR62 HiVis Multi-Protection Trouser

These Trousers protect against exposure to heat, fire, chemicals, electrical arcs and welding.

S773 Fr Anti Static Waterproof Bomber

- Breathable & Waterproof
- Anti-Static
- 170g FR Cotton lining with Polyester 100g FR Wadding
- · Detachable FR lined hood
- Zip front closure with studded flap
- · 2 front pockets with Velcro flap
- · Mobile phone pocket
- Radio loops
- Taped seams
- FR reflective tape





FR78 Multi Protection Hi Vis Bib & Brace Trousers

This comfortable garment offers protection against multiple risks including exposure to heat, fire, chemicals, electrical arcs and welding.

EN ISO 20471 Class 3, IEC 61482-2 EN 61482-1-2 Class 1

EN ISO 11612 A1 A2 B1,C1, E2, EN ISO 11611 Class 2 A1+A2

EN 1149-5, EN 13034 Type 6, EN 343 Class 3:3



Liquid Proof Cut Protect 5 Gloves

Designed and developed as a liquid repellent cut resistant glove,

MaxiCut® Oil™ combines cut protection with oil grip, comfort,

flexibility and dexterity

Re-enforced area between thumb and for finger



Cut Protect 5 Gloves

Black Panther gloves offer great handling and cut protection capabilities.

Palm Coated Black Latex on a TAEKI5 Outstanding
Cut Level 5 Protection

Excellent Wet & Dry Grip Durable Latex Palm Coating Enhanced Puncture & Abrasion Resistance Approved to EN388-3.5.4.3



Gloves For Barbwire

Heavy Duty Gloves For Barbwire



Moldex 8082 Pre-assembled P3 RD Reusable Half Mask

P3 R D Protection. Size: Medium. Mask body is gentle to the skin


Comfortable fit - few and easily replaceable parts.

Easy maintenance and cleaning.

Low profile design for excellent field of vision. EN140,

EN14387, EN143.





Bolle Smoked Safety Glasses

EN166 1F. Economical model.
Integrated side shields.
ESP coating for reduced dazzle.
Weight: 28g. Good all round vision.
Supplied with free neck cord

Bolle Clear

Clear line safety spec manufactured to EN166 1F.





Bolle Twilight Yellow

Rush Twilight safety glasses with double anti-mist and anti fog coating on both sides of the lens.

Manufactured to EN166 1FT and EN170.

Honeywell V Maxx Goggle

Sports style goggle with 180° field of vision for distortion free peripheral vision
.Fits over a variety of prescription eyewear and can be combined with half masks.
Anti-scratch and anti-fog lens.
Suitable for use against liquids large dust particles molten metal and hot solids



Linesman Safety Helmet

The Centurion Concept Linesman Safety Helmet has a reduced peak with high security head harness and quick release chin strap.
Certified to: EN397, -40 Degrees C, LD, EN50365. ANSI Z89 1-2003 type 1, class E (20,000V a.c.)

Idra Saftey Helmet Full Face Visor

Idra Full Face Helmet with Intergral Visor



Full Face Visor

Anti Flash Full Face Visor





Leather Linemen Harness

Full body linesman harness with metal D front, rear and side attachment points

Quick release buckles to the legs.

Leather back pad.



Britannia Super Harness MK3

Four point fall arrest harness with 3 bar slide and rectangular link leg and chest connectors
Adjustable length shoulder straps
The work positioning belt on this harness is not fixed but can rotate



MEWP Harness

MEWP harness & 1.4m adjustable restraint lanyard (FOR RESTRAINT USE ONLY)



Basic Fall Arrest

Single point fall arrest harness, with 3 bar slide and rectangular link, leg and chest connections.

Adjustable length shoulder straps

Pole Choke

New 2 Part Pole Choke can be used left or right handed

Choke:

Choke: to be used in combination with work positioning lanyard on poles.

EQUIPMENT 12 mm kernmantle rope with protective sleeve

Upper end: AHK one-hand steel karabiner Lower end: Screw connector Maillon Rapide

TECHNICAL DATA Standard: EN 354

Material: 12 mm kernmantle rope Colour: orange / black

Synthetic material: PA polyamide

Fittings: steel Lengths: 0.5 m

Rope Lanyard:

12 mm kernmantle rope with protective sleeve Rope adjuster HERKULES with BSK screw karabiner AHK one-hand karabiner

Detachable protective sleeve for the seams on both ends

TECHNICAL DATA Standard: EN 354, EN 358

Material: 12 mm kernmantle rope Colour: orange / black

Synthetic material: PA polyamide Fittings: aluminium, steel Length: 2 m









Pole Choker

Choke strap with twist lock karabiner.

EA43-123

Classified category A1

Product comes with gaff and pouch



Rope Rat Work Positioning Lanyard

DescriptionLanyard suitable for restraint or work positioning 2m



Pole Strap Work Positioning

The RGP2 is a pole strap/ work-positioning device,
The 45mm webbing, is protected by a wide pad in the
work area
1.4m



Work Positioning Lanyard

Lanyard suitable for restraint, work positioning or as a component in a fall protection system
1.5m (1m available as special 76060SP1)



Work Positioning Adjustable Lanyard

Lanyard suitable for work positioning or as a component in a fall protection system

1.5m Adjustable



Webbing Adjustable Lanyard

Single leg adjustable length lanyard, With energy absorbing pack.



Chunkie Single Leg Lanyard

Single leg lanyard suitable for arresting potential falls. The lanyard incorporates a 'tear-web' energy absorbing pack



Chunkie 150 L/W Standard

Description

Single leg lanyard suitable for arresting potential falls. The lanyard incorporates a "tear-web" energy absorbing pack.

1.5m



Chunkie 175 Two Tails

Twin legged lanyard suitable for arresting potential falls. The lanyard incorporates a "tear-web" energy absorbing pack.



Chunkie Two Tails Lanyard

Twin legged lanyard suitable for arresting potential falls. The lanyard incorporates a "tear-web" energy absorbing pack.



Antec Mini Max Retractable Lanyard

Mini Max 1.5m Retractable Lanyard



P & P Rescue Kit

Screwgate karabiner and P+P Anchorage Sling for attachment to the structure Anthron double stop descender device a captive eye kwiklok karabiner for attachment to the casualty.

20m



P+P AUTO REEL MK2

A small lightweight, retractable type fall arrester housed in a plastic cover, with webbing lanyard.

2.4m



Slide Chuck With Energy Absorber

Guided type fall arrester, slide chuck device, energy absorber and connector For 16mm Rope



Rocker Device

Guided type fall arrester suitable for semi-static 10.5mm to 12.7mm diameter kernmantle rope (EN1891 Type A)



P+P ROCKER CONNECTOR STROP

Sewn round sling with connector to create a linkage between user and the P+P Rocker device



Canvas Tool Bag

Deep Canvas Tool Bag Front Pocket Nylon Straps and Buckles



Green Tool Bag

Green Heavy Duty Canvas Deep Tool Bag 30cm x 36cm x 10cm



Cresto Tool VinylBag

Cresto Vinyl Tool Bag Deep With Flap Cover
28cm Tall x 25cm Wide x 10cm Deep



Cresto Leather Tool Frog 7 Piece

Tool holder in leather for seven tools, of which three are for insulation tools



Leather Tool Frog

7 Piece Leather Tool Frog Made from Real Leather Riveted Sections




Tool Lanyard

 Construction: Stretchable cord encased in tubular Nylon Webbing.

Lock stitched at each end for security. Cord stretches to give unrestricted movement

Chainsaw / Heavy Tool Lanyard

Tool Lanyard / Strop Elasticated



Material Polyester Elasticatd webbing.

End loop to attach to harness.

Terminating in a loop and steel ring to attatch tools.

Width of webbing 25mm.

Length 1.3mtr.

Maximum load 50Kg.

Static strength 8kN.

